


SHRINKWRAP SUPPLIES

Top Performance Kit

5ft Rd Wire, 5ft 1/4"	
Sponge, 1 Roll 1" Tape	DFSHRINK 1*1/4
5ft Rd Wire, 5ft 3/8"	
Sponge, 1 Roll 1" Tape	DFSHRINK 1*3/8
5ft Rd Wire, 5ft 1/4"	
Sponge, 3/4 Roll 1" Tape	DFSHRINK 3/4*1/4
5ft Rd Wire, 5ft 3/8"	
Sponge, 1 Roll 3/4" Tape	DFSHRINK 3/4*3/8



Rd Wire By The Foot YO1100-010
130 Ft Roll Rd Wire YO1100-006



Sponge By The Foot
1/2" YO1400-010
3/8" YO1400-002
1/4" YO1400-003



Teflon Tape By The Roll
1/2" YO1350-043
3/4" YO1350-086
1" YO1350-017



Ribbon Wire By The Foot
YO100-025

Insulator Bushing	YO2500-019
APS Sponge And Tape	YOTEFLON PAD
Insulator 1/2" Wide Just Under 1/8" Thick, 48" Long	YO2500-016



Heat Gun



Shrinkwrap Film

Pvc Shrinkwrap Film

- 75 Gauge 500' Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths
- 100 Gauge 500' Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths
- 75 Gauge 2000' Roll
Available In 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths
- 100 Gauge 1500' Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths

Also Available In 125 Gauge & 150 Gauge

Polyolefin Film


Polyolefin Film Is Stretchier Than Pvc Shrink Wrap Film. Because It Is Stretchy, The Film Will Not Crack And Rip Open Like Pvc Film Can Under Pressure. It Is Odorless And Can Be Used With Food.

- 60 Gauge 4375" Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths
- 75 Gauge 3500' Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths
- 100 Gauge 2625' Roll
Available In 10, 12, 14, 16, 18, 20, 22, 24, 30 & 36" Widths

Letterpress Supplies

Channel Creasing Matrix

ILLUSTRATION SHOWS PREPARATORY PRESS ACTION



Channel Original Self Locating Creasing Matrix Is The World's First And Most Widely Used Creasing Matrix. It Is Extremely Durable And Accurate And Provides Benefits In Time And Cost Over Rival Systems.

- Accurate Locator - Ensures Perfect Registration Everytime
- Low Profile Chamfer - Board Flows Freely Over The Matrix; Board Marking Is Reduced
- Fingerlift Adhesive - Backing Paper Easily And Quickly Removed
- High Tolerance - Extremely Accurate Channel Depth And Width
- New Adhesive Removes Cleanly From The Plate After Use, Will Not Move About During Machine Run
- Full Range Of Sizes Available To Suit All Board Types, Off-Centres And Multi-Crease For Close Creasing
- Extremely Durable
- Comes In A Box Of 48 Ft

Center Crease




- #32 - Orange Creasing Channel .032" For Boards .006" And Under
- #40 - Buff Creasing Channel .040" For Boards .006" - .010" Thick
- #50 - White Creasing Channel .050" For Boards .010" - .015" Thick
- #60 - Yellow Creasing Channel .060" For Boards .015" - .020" Thick
- #75 - Green Creasing Channel .075" For Boards .020" - .025" Thick
- #90 - Red Creasing Channel .090" For Boards .025" - .035" Thick
- #105 - Blue Creasing Channel .105" For Boards .030" - .040" Thick & E-Flute

Off-Center Crease




- #50 - O/C White Creasing Channel 0.50" For Boards .010" - .015" Thick
- #60 - O/C Yellow Creasing Channel .060" For Boards .015" - .020" Thick

Double Crease



- #50 - D 1/8" White Creasing Channel .050" For Boards .010" - .015" Thick
- #50 - D 3/16" White Creasing Channel .050" For Boards .010" - .015" Thick
- #50 - D 1/4" White Creasing Channel .050" For Boards .010" - .015" Thick
- #60 - D 1/4" Yellow Creasing Channel 0.60" For Boards .015" - .020" Thick



This Is Only A Sample Of Items Available

Tympan Paper

36" Wide By The Ft	ZO36
15 1/2" Wide By The Ft	ZO15 1/2
15 1/2" Wide By The Roll	ZO15.5

Also Available In Pre Cut Sheets

Sabertooth Backing



1/4"	ZO702
1/8"	ZO701


Accu-Shim




33 Ft Roll	
.002 Thick	YL2A-33
.005 Thick	YL3A-33
100 Ft Roll	
.002 Thick	YL2B-100
.005 Thick	YL3B-100

1 Lb. Sealing Wax

YLSW-100



Steel Cutting Rule



Made As Follows
 Under Type High .910
 Type High .918
 Over Type High .923
 Over Type High .937

Packaged 12 Strips To The Package
 Each Strip Is 24" Long

Creasing (Scoring) Rule


YLCRS32 - 2 PT. 24" Steel Strip
 YLCRS33 - 3 PT. 24" Steel Strip
 YLCRS34 - 4 PT. 24" Steel Strip
 YLCRS35 - 6 PT. 24" Steel Strip

Steel Micro Perf Rule



Type High, 2 Pt., 24"
 Strip In 30, 40, 50, 60
 Or 70 Teeth Per Inch
 Minimum Order 3
 Strips




Letterpress Supplies Continued



Steel Perforating Rule

Made In Heights Of .900, .910, .918 (Type High), .923 & .937. Comes In A 24" Strip.
 Minimum Order 6 Strips – 3 Of A Kind

Gauge Pins

	Spring Slide (Dz)	YLGP-100
	Extra Tongs (Dz)	YLGP-101
	Twin Grip Set Of 3	YLGP-102
	Adj. Quad Gudes (3)	YLGP-103
	Long Tongues (Dz)	YLGP-103A
	Perfect Front	
	Std Duty (Dz)	YLGP-104
	Heavy Duty (Dz)	YLGP-105
	Short Tongues (Dz)	YLGP-106
	Medium Tongues (Dz)	YLGP-107


Perf-A-Base Backing

Perf-A-Base Backing Is Easily Applied To Top Of Tympan With Perf-A-Base Adhesive Which Is Apecially Compounded For This Use. Should Be Used With Type High Perf Rule. Available In 1/4", 1/4", 1/2" & 1" Wide. Comes In A 40" Coil With Adhesive.



Hi Speed Quoins

3"	YLAP638
4 1/2"	YLAP639
6"	YLAP640
7 1/2"	YLAP641
9"	YLAP642
10 1/2"	YLAP643
12"	YLAP644



Heidelberg Windmill 10X15 Rollers

Set Of 4 Soft Rubber	ST10X15
F Ink Form	ST37H11
D Ink Distributor	ST37H10
B Ink Ductor	ST37H10

Numbering Machines

Std Machines Available In

- Forward Or Reverse
- 5/32 Or 3/16 Characters
- Roman Or Gothic
- Drop Or Solid Shaft
- 6 Or 7 Wheel



Other Machines Available Upon Request



Job Press Gripper Fingers

Fits Kluge, C&P, Etc
 Set Of 6 Consists Of One Left & One Right Of Short (8X12), Long (10X15) & Extra Long (12X18). Specify Standard Or Narrow Width.
 If Individual Pieces Are Wanted Specify Left Or Right, Std Or Narrow & Length.

Letterpress Supplies Continued



ZW1 Kluge Suckers Red Or Gum Rubber
ZW1P Plastic Sucker For Longer Life



ZW1A Kluge, Narrow Margin Sucker, Very Handy In Tight Places



ZW2 Kluge Card Suckers Red Or Gum Rubber



ZW3 Kluge Carton Suckers Red Or Gum Rubber



ZW17 Kluge For Narrow Margin Work. Use On Feeder Or Delivery
ZW18 Same As ZW17, Rubber Disk 19K Added For Cardboard



ZW19 Flat Rubber Suction Discs. Over 75 Different Sizes Available Up To 2"



ZW21 Sandpaper Discs
 A- Ready Glued
 B- Without Glue
 Kluge, C&P, Others.
 3/4" OR XL 1 1/8"



ZW26 Kluge Metal Cap, Hold Std Rubber Sucker. For Feeder Delivery



ZW33A Kluge Sheet Tongues, Set Of 6 (Sizes 1-6), Or Specify Specific Size
ZW33B Sheet Tongue Screw With Washer



ZW36 Kluge Register Rod Cam Left Or Right




ZW38 Kluge Flat Leather Belt 112"




ZW43 Kluge Register Rod Holder



ZW44 Kluge Wrench Set, Includes All Popular Nuts And Bolts
 (A) Complete Wrench Set
 (B) Wrench
 (C) Gripper Nut
 (D) Side Guide Nut
 (E) Delivery Pickup Bolt
 (F) Delivery Track Bolt



ZW45 Kluge Misc. Parts
 (A) Side Guide Tongue
 (B) Magazine Separator Spring
 (C) Center Comber Spring
 (D) Side Guide Eyebolt Hold Side Guide To Platen



ZW48 Kluge Delivery Pickup
 (A) Bolt
 (B) Clamp Top
 (C) Clamp Base. Specify Left Or Right
 (D) Suction Tube





ZW53 Flexible Steel Blower Tubing. 5' Long


Letterpress Supplies Continued




- ZW51 Kluge
 (A) Side Guide Complete Left Or Right
 (B) Side Guide Block
 (C) Bottom Feed Fauge
 (D) Feed Gauge Tongues Only
 (E) Side Guide, Complete With Offset Stem. Left Or Right

Lay Gauge Pin Kit		
Set Of 5		P31133
35mm		P2859
45mm		P2861
55mm		P2862
65mm		P2864
75mm		P2894

Sheet Separators		
	Windmill	HEWI114
	Windmill	HEWI117



Wash-Up Blade			
Windmill 10 X 15	14-15/16 X 2	5 Slots	P-30209
Windmill 13 X 18	18-9/16 X 2-1/16	6 Holes	P-30243



Sucker Bar Slides		
Windmill 10x15 (261 Mm Long - 2.5 Mm Holes Red)		P30754
Windmill 10x15 (261 Mm Long - 3.8 Mm Holes Yellow)		P30755
Windmill 10x15 (261 Mm Long - 1.6 Mm Holes Pink)		P30756
Windmill 13x18 (327 Mm Long - 2.5 Mm Holes Red)		P30797
Windmill 13x18 (327 Mm Long - 3.9mm Holes Yellow)		P30798
Windmill 13x18 (327 Mm Long - 1.6 Mm Holes Pink)		P30799

Std Cylinder Jacket		
Windmill 10x15		P30850
Windmill 13x18		P30858

Emergency Kits		
Windmill 10 X 15		P-30840
Consists Of:		
(A) Ink Distributor Runners - (4 Pcs)		HE-WI466
(B) Bearings - (4 Pcs)		P-11183
(C) Wash Up Blade - (1 Pc)		P-30209
(D) Sucker Feet (3/16" Id) - (8 Pcs)		P-7566
(E) Sucker Feet (1/8" Id) - (8 Pcs)		P-5234
(F) Middle Sheet Separators - (2 Pcs)		HE-WI117
(G) End Sheet Separators - (2 Pcs)		HE-WI114
(H) Cylinder Jacket - (1 Pc)		P-30850

Windmill 13 X 18		
Windmill 13 X 18		P-31140
Consists Of:		
(B) Bearings For Ink Distributor Runners - (4 Pcs Each)		P-11183
(C) Wash Up Blade - (1 Pc)		P-30243
(D) Sucker Feet (5/32" Id) - (20 Pcs Each)		P-7581
(F) End Sheet Separators - (6 Pcs Each)		HE-WI114
(G) Middle Sheet Separators - (2 Pcs Each)		HE-WI117
(H) Cylinder Jacket - (1 Pc)		P-30858


- ZW52 Kluge
 (A) Bottom Gauge Band Specify Length: 19 1/2", 23 1/4" Or 25 1/2"
 (B) Bottom Gauge Band Clamp. Quick Release
 (C) Bottom Gauge Band Clamp With Screw To Hold Band. Specify Left Or Right



- ZW54 Kluge Feeding Suction Tubes
 (A) Left Cardboard KG-571
 (B) Right Cardboard KG-571A
 (C) Left Paper KG-577
 (D) Right Paper KG-577A
 (E) Dummy Foot KG-580



Windmill Gripper Bar	
10x15 Complete	HEWI0990-15
13x18 Complete	HEWI0990-18
Screw For Operating Arm	HET1307

	Windmill Brass Filter Screens	
	(24mm Collar)	P9410
	(38mm Collar)	P9412

	Silencer For Windmill	P9413
--	------------------------------	-------